ANALYTICA CHIMICA ACTA, VOL. 255 (1991)

AUTHOR INDEX

Aaron, J.J., see Balaei, S. 305
Afonso Perera, A., see Santana Rodriguez, J.J. 107
Albrecht, S.
—, Brandl, H., Böhm, W.-D., Beckert, R., Kroschwitz, H. and Neumeister, V.
Determination of urinary oxalate and porphyrins by peroxyoxalate chemiluminescence 413
Albrecht, S., see Zimmermann, T. 373
Aly, F.A., see Belal, F. 103
Angel, S.M., see Northrup, M.A. 275
Apak, R., see Tütem, E. 121
Armstrong, D.W., see Menges, R.A. 157

Baeyens, W.R.G., see Lin Ling, B. 283
Balaei, S.
— and Aaron, J.J.
Solid-surface fluorescence analysis using a fibre-optic sensor 305
Basiuk, V.A.
— and Khil'chevskaya, E.G.
Gas-phase acylation of aminopropyl-silica gel in the synthesis of some chemically bonded silica materials for analytical applications 197
Battino, M.
—, Ferri, E., Girotti, S. and Lenaz, G.
Free radical scavenging activity of coenzyme Q measured by a chemiluminescent assay 367
Beckert, R., see Albrecht, S. 413
Belal, F.
—, Ibrahim, F., Hassan, S.M. and Aly, F.A.
Spectrofluorimetric determination of some pharmaceutically important thioxanthene derivatives 103
Blais, J., see Vazquez, M.L. 343
Blum, L.J., see Gautier, S.M. 253
Böhm, W.-D., see Albrecht, S. 413
Botrè, C., see Botrè, F. 59
Botrè, F.
—, Mazzei, F., Lanzi, M., Lorenti, G. and Botrè, C.
Plant-tissue electrode for the determination of catechol 59
Bouve, J.
—, De Boever, J., Leyseele, D., Vandekerckhove, D. and Kohen, F.
Improvement of assay sensitivity in immunoassay: chemiluminescence immunoassay for estradiol as a model 417
Bovara, R., see Girotti, S. 259
Bramlage, J., see Johnson, B.F. 127
Brandl, H., see Albrecht, S. 413
Brennan, J.D.
—, Brown, R.S., Foster, D., Kallury, R.K. and Krull, U.J.
Fluorescence transduction of an enzyme–substrate reaction by covalently immobilized monolayers of amphiphiles 73
Brown, R.S., see Brennan, J.D. 73
Bruns, R.E., see De Andrade, J.C. 149
Bückmann, F., see Schelp, C. 223
Budini, R., see Girotti, S. 259

Cabaniss, S.E.
Carboxylic acid content of a fulvic acid determined by potentiometry and aqueous Fourier transform infrared spectrometry 23
Calokerinos, A.C., see Syropoulos, A.B. 403
Carrea, G., see Girotti, S. 259
Cepeda, A., see Vazquez, M.L. 343
Chen, S., see Schulman, S.G. 383
Chiang, L.
—, Magee, R.J. and James, B.D.
Chromatographic determination of chlorinated phenoxyacetic acids by simultaneous extraction–methylation and application to soil analysis 187
Compañó, R.
—, Hernández-Cassou, S., Prat, M.D. and García-Beltrán, L.
Flow-injection determination of zinc by fluorescence spectrometry 325
Ćosović, B., see Plavšić, M. 15
Coulet, P.R., see Gautier, S.M. 253

Darbord, J.C., see Decool, A. 423
De Andrade, J.C.
—, Eiras, S.P. and Bruns, R.E.
Study of the Mo(VI) catalytic response in the oxidation of iodide by hydrogen peroxide using a monosegmented continuous-flow system 149
De Boever, J., see Bouve, J. 417
Decool, A.
—, Goury, V., Tibi, A., Gibaud, S., Vincent, F. and Darbord, J.C.
Detection of bacterial adenosine triphosphate through bioluminescence, applied to a rapid sterility test of injectable preparations 423
Dewaele, C., see Lin Ling, B. 283
Diaz García, M.E., see Liu, Y.-M. 245

Doherty, A.P.
—, Forster, R.J., Smyth, M.R. and Vos, J.G.
Development of a sensor for the detection of nitrite using a glassy carbon electrode modified with the electrocatalyst $[Os(bipy)_2(PVP)_{10}Cl]Cl$ 45
Dorsey, J.G., see Johnson, B.F. 127
Durán-Merás, I., see Muñoz de la Peña, A. 351
Durán, M.S., see Muñoz de la Peña, A. 317

Eckert, D.J.M.
—, Judd, R.J., Lay, P.A. and Symons, A.D.
Response of chromium(V) to the diphenylcarbazide spectrophotometric method for the determination of chromium(VI) 31
Eiras, S.P., see De Andrade, J.C. 149
Engelaer, F.W., see Niederländer, H.A.G. 395

Ferri, E., see Battino, M. 367
Ferri, E., see Girotti, S. 387
Fiechter, A., see Filippini, C. 91
Filippini, C.
—, Moser, J.U., Sonnleitner, B. and Fiechter, A.
On-line capillary gas chromatography with automated liquid sampling, a powerful tool in biotechnology 91
Flagler, M., see Gardell, D. 289
Fluri, K., see Tan, S.S.S. 35
Forster, R.J., see Doherty, A.P. 45
Foster, D., see Brennan, J.D. 73

Galbán, J., see Sanz, J. 113
Gallarta, F., see Sanz, J. 113
Gao, Y.-H., see Sakai, T. 135
García-Beltrán, L., see Compañó, R. 325
García Pareja, A., see García Sánchez, F. 311
García Sánchez, F.
—, Hernández López, M. and García Pareja, A.
Spectrofluorimetric determination of the organophosphorus insecticide quinalphos in citrus fruits 311
Gardell, D.
—, Flagler, M. and Raman, S.
The first serial operator-independent assessments of thrombocyte surface markers using reflected fluorimetry 289
Gautier, S.M.
—, Blum, L.J. and Coulet, P.R.
Cofactor-containing bioluminescent fibre-optic sensor: new developments with poly(vinyl alcohol) matrices 253
Gentilomi, G., see Girotti, S. 387
Ghini, S., see Girotti, S. 259, 387
Gibaud, S., see Decool, A. 423
Gibellini, D., see Girotti, S. 387
Girotti, S.
—, Ferri, E., Ghini, S., Musiani, M., Zerbini, M.L., Gibellini, D. and Gentilomi, G.
Direct quantitative chemiluminescent assays for the detection of viral DNA 387
—, Ghini, S., Carrea, G., Bovara, R., Roda, A. and Budini, R.
Bioluminescent flow sensor for D-(−)-lactate 259
Girotti, S., see Battino, M. 367
Gonzalez Diaz, V., see Santana Rodriguez, J.J. 107
Gooijer, C., see Niederländer, H.A.G. 395
Goury, V., see Decool, A. 423
Guevremont, R.
—, Pathak, V., Quigley, M.N. and Wright, J.L.C.
Comparison of cation-exchange and chelating cation-exchange resins for the concentration of saxitoxin 163

Haggart, R.
— and Leaback, D.H.
Quantitative immunofluorescence using a cooled slow-scan charge-coupled detector camera 269
Hassan, S.M., see Belal, F. 103
Hauser, P.C., see Tan, S.S.S. 35
Hernández-Cassou, S., see Compañó, R. 325
Hernández López, M., see García Sánchez, F. 311
Hurtubise, R.J., see Richmond, M.D. 335

Ibrahim, F., see Belal, F. 103
Imasama, T., see Kawabata, Y. 97
Ishibashi, N., see Kawabata, Y. 97

James, B.D., see Chiang, L. 187
Jansen, E.H.J.M.
— and Reinerink, E.J.M.
Fast chemiluminescence detection of the oxidase activity of cytochrome P-450 isoenzymes in column chromatography 363
—, Laan, C.A., Van den Berg, R.H. and Reinerink, E.J.M.
Chemiluminescence detection of cytochrome P-450 isoenzymes on Western blots with different enzyme systems 359
Jimidar, M., see Moors, M. 177
Johnson, B.F.
—, Bramlage, J. and Dorsey, J.G.
Solute focusing in flow-injection systems: effect of solute capacity factor and position of solute-focusing column 127
Judd, R.J., see Eckert, D.J.M. 31

Kallury, R.K., see Brennan, J.D. 73
Kawabata, Y.
—, Imasama, T. and Ishibashi, N.
Fluorimetric determination of potassium ion using hexadecyl-acridine orange immobilized on a poly(vinyl chloride) membrane attached to a flow-through cell 97
Khil'chevskaya, E.G., see Basiuk, V.A. 197
Kido, T., see Tabata, M. 83
Kohen, F., see Bouve, J. 417
Kopprasch, S., see Zimmermann, T. 373
Kroschwitz, H., see Albrecht, S. 413
Krull, U.J., see Brennan, J.D. 73
Krüttli, M., see Tan, S.S.S. 35
Kuehne, H., see Zimmermann, T. 373
Kulp, T.J., see Northrup, M.A. 275

Laan, C.A., see Jansen, E.H.J.M. 359
Lanzi, M., see Botrè, F. 59
Lauschke, G., see Zimmermann, T. 373
Lay, P.A., see Eckert, D.J.M. 31
Leaback, D.H., see Haggart, R. 269
Leiner, M.J.P.
Luminescence chemical sensors for biomedical applications: scope and limitations. Review 209
Lenaz, G., see Battino, M. 367
Leyseele, D., see Bouve, J. 417
Lin Ling, B.
—, Baeyens, W.R.G. and Dewaele, C.
Capillary zone electrophoresis with ultraviolet and fluorescence detection for the analysis of thiols. Application to mixtures and blood 283
Liu, Y.-M.
—, Pereiro García, R., Díaz García, M.E. and Sanz-Medel, A.
Room-temperature luminescence optosensing based on immobilized metal chelates: application to iodide determination 245
Lorenti, G., see Botrè, F. 59

Magee, R.J., see Chiang, L. 187
Mahuzier, G., see Vazquez, M.L. 343
Massart, D.L., see Moors, M. 177
Mazzei, F., see Botrè, F. 59
Menges, R.A.
— and Armstrong, D.W.
Use of a three-phase model with hydroxypropyl-β-cyclodextrin for the direct determination of large octanol–water and cyclodextrin–water partition coefficients 157
Miletić, S., see Plavšić, M. 15
Moors, M.
—, Teixeira, C.R.R.R., Jimidar, M. and Massart, D.L.
Solid-phase extraction of the preservatives sorbic acid and benzoic acid and the artificial sweeteners aspartame and saccharin 177
Moser, J.U., see Filippini, C. 91
Muñoz de la Peña, A.
—, Durán-Merás, I., Salinas, F., Warner, I.M. and Ndou, T.T.
Cyclodextrin-induced fluid solution room-temperature phosphorescence from acenaphthene in the presence of 2-bromoethanol 351
—, Salinas, F. and Durán, M.S.
Simultaneous determination of propranolol and hydralazine by derivative synchronous spectrofluorimetry 317
Musiani, M., see Girotti, S. 387

Navas Díaz, A.
Fibre-optic remote sensor for in situ fluorimetric quantification in thin-layer chromatography 297
Ndou, T.T., see Muñoz de la Peña, A. 351
Neumeister, V., see Albrecht, S. 413
Niederländer, H.A.G.
—, Van Assema, W., Engelaer, F.W., Gooijer, C. and Velthorst, N.H.
Dioxetane chemiluminescence detection in liquid chromatography 395
Niessner, R.
—, Panne, U. and Schröder, H.
Fibre-optic sensor for the determination of polynuclear aromatic hydrocarbons with time-resolved, laser-induced fluorescence 231
Nørgaard, L.
Determination of pH gradients and acidity constants in flow-injection analysis systems by evolving factor analysis 143
Northrup, M.A.
—, Kulp, T.J. and Angel, S.M.
Application of fluorescent particle imaging to measuring flow in complex media 275

Ohno, N., see Sakai, T. 135

Panne, U., see Niessner, R. 231
Pathak, V., see Guevremont, R. 163
Pereiro García, R., see Liu, Y.-M. 245
Perrin, J.H., see Schulman, S.G. 383
Plavšić, M.
—, Ćosović, B. and Miletić, S.
Comparison of the behaviours of copper, cadmium and lead in the presence of humic acid in sodium chloride solutions 15
Prat, M.D., see Compañó, R. 325
Prognon, P., see Vazquez, M.L. 343
Pyrzyńska, K.
Membrane method for preconcentrating and separating gold complexes from aqueous solutions containing other platinum group metals 169

Quigley, M.N., see Guevremont, R. 163

Raman, S., see Gardell, D. 289
Reardon, K.F., see Schelp, C. 223
Reinerink, E.J.M., see Jansen, E.H.J.M. 359, 363
Richmond, M.D.
— and Hurtubise, R.J.
β-Cyclodextrin solid-matrix luminescence characterization of stereoisomeric tetrols 335
Roda, A., see Girotti, S. 259
Rusterholz, B., see Tan, S.S.S. 35

Sakai, T.
—, Gao, Y.-H., Ohno, N. and Ura, N.
Batchwise and flow-injection methods for thermo-spectrophotometric determination of acetylcholine and choline with tetrabromophenolphthalein ethyl ester 135
Salinas, F., see Muñoz de la Peña, A. 317, 351

Santana Rodriguez, J.J.
—, Sosa Ferrera, Z., Afonso Perera, A. and Gonzalez Diaz, V.
Simultaneous synchronous fluorimetric determination of benzo[*a*]pyrene and perylene in micellar media 107
Sanz, J.
—, Gallarta, F. and Galbán, J.
Simultaneous determination of inorganic arsenic(III) and arsenic(V) by arsine generation and gas-phase molecular absorption spectrometry 113
Sanz-Medel, A., see Liu, Y.-M. 245
Schelp, C.
—, Scheper, Th., Bückmann, F. and Reardon, K.F.
Two fibre-optic sensors with confined enzymes and coenzymes: development and application 223
Scheper, Th., see Schelp, C. 223
Schröder, H., see Niessner, R. 231
Schulman, S.G.
—, Perrin, J.H., Yan, G.F. and Chen, S.
Determination of cephalothin sodium by a chemiluminescence method 383
—, Townsend, R.W. and Zhang, Y.
Operational pH in aqueous acetonitrile based upon the rate of a simple pH dependent reaction 329
Schuster, R., see Zimmermann, T. 373
Seiler, K., see Tan, S.S.S. 35
Sigel, H.
—, Zuberbühler, A.D. and Yamauchi, O.
Comments on potentiometric pH titrations and the relationship between pH-meter reading and hydrogen ion concentration 63
Simon, W., see Tan, S.S.S. 35
Smyth, M.R., see Doherty, A.P. 45
Sonnleitner, B., see Filippini, C. 91
Sosa Ferrera, Z., see Santana Rodriguez, J.J. 107
Spichiger, U.E., see Tan, S.S.S. 35
Suter, G., see Tan, S.S.S. 35
Symons, A.D., see Eckert, D.J.M. 31
Syropoulos, A.B.
— and Calokerinos, A.C.
Continuous-flow chemiluminometric determination of some tetracyclines 403

Tabata, M.
— and Kido, T.
Usefulness of immobilized glutamine synthetase for the removal of ammonia and its application to the determination of creatinine in urine 83
Tan, S.S.S.
—, Hauser, P.C., Wang, K., Fluri, K., Seiler, K., Rusterholz, B., Suter, G., Krüttli, M., Spichiger, U.E. and Simon, W.
Reversible optical sensing membrane for the determination of chloride in serum 35
Teixeira, C.R.R.R., see Moors, M. 177
Tibi, A., see Decool, A. 423
Townsend, R.W., see Schulman, S.G. 329
Trausch, M., see Zimmermann, T. 373
Tütem, E.
— and Apak, R.
Simultaneous spectrophotometric determination of cystine and cysteine in amino acid mixtures using copper(II)–neocuproin reagent 121

Uchiyama, S.
— and Umetsu, Y.
Concentration-step amperometric sensor of L-ascorbic acid using cucumber juice 53
Umetsu, Y., see Uchiyama, S. 53
Ura, N., see Sakai, T. 135

Van Assema, W., see Niederländer, H.A.G. 395
Vandekerckhove, D., see Bouve, J. 417
Van den Berg, R.H., see Jansen, E.H.J.M. 359
Vazquez, M.L.
—, Cepeda, A., Prognon, P., Mahuzier, G. and Blais, J.
Cyclodextrins as modifiers of the luminescence characteristics of aflatoxins 343
Velthorst, N.H., see Niederländer, H.A.G. 395
Vincent, F., see Decool, A. 423
Vos, J.G., see Doherty, A.P. 45

Wang, K., see Tan, S.S.S. 35
Wardencki, W.
— and Zygmunt, B.
Gas chromatographic sulphur-sensitive detectors in environmental analysis. Review 1
Warner, I.M., see Muñoz de la Peña, A. 351
Wright, J.L.C., see Guevremont, R. 163

Yamauchi, O., see Sigel, H. 63
Yan, G.F., see Schulman, S.G. 383

Zerbini, M.L., see Girotti, S. 387
Zhang, Y., see Schulman, S.G. 329
Zimmermann, T.
—, Schuster, R., Lauschke, G., Trausch, M., Albrecht, S., Kopprasch, S. and Kuehne, H.
Chemiluminescence response of whole blood and separated blood cells in cases of experimentally induced pancreatitis and MDTQ-DA–Trasylol–ascorbic acid therapy 373
Zuberbühler, A.D., see Sigel, H. 63
Zygmunt, B., see Wardencki, W. 1